Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

Please cancel claims 1-9.

- 10. (New) A method of producing a P(phosphorus)-doped silicon single crystal by Czochralski method, wherein, at least, a growth of the single crystal is performed so that an Al (aluminum) concentration is 2×10^{12} atoms/cc or more.
- 11. (New) The method of producing a P-doped silicon single crystal according to Claim 10, wherein the growth of the single crystal is performed so that a P concentration is 1×10^{14} atoms/cc or more in the silicon single crystal.
- 12. (New) The method of producing a P-doped silicon single crystal according to Claim 10, wherein in the growth of the single crystal, it is pulled so that a value of F/G (mm²/°C · min) is a value of 0.2 or less, where F (mm/min) is the pulling rate and G (°C/mm) is an average value of a temperature gradient in the crystal along a pulling axis from the melting point of silicon to 1400°C.
- 13. (New) The method of producing a P-doped silicon single crystal according to Claim 11, wherein in the growth of the single crystal, it is pulled so that a value of F/G (mm²/°C · min) is a value of 0.2 or less, where F (mm/min) is the pulling rate and G (°C/mm) is an average value of a temperature gradient in the crystal along a pulling axis from the melting point of silicon to 1400°C.

- 14. (New) The method of producing a P-doped silicon single crystal according to Claim 10, wherein the crystal growth is performed in the range of N region and I region.
- 15. (New) The method of producing a P-doped silicon single crystal according to Claim 11, wherein the crystal growth is performed in the range of N region and I region.
- 16. (New) The method of producing a P-doped silicon single crystal according to Claim 12, wherein the crystal growth is performed in the range of N region and I region.
- 17. (New) The method of producing a P-doped silicon single crystal according to Claim 13, wherein the crystal growth is performed in the range of N region and I region.
- 18. (New) A P-doped silicon single crystal produced by the method according to Claim 10.
- 19. (New) A P-doped silicon single crystal produced by the method according to Claim 11.
- 20. (New) A P-doped silicon single crystal produced by the method according to Claim 12.
- 21. (New) A P-doped silicon single crystal produced by the method according to Claim 13.
- 22. (New) A P-doped silicon single crystal produced by the method according to Claim 14.
- 23. (New) A P-doped silicon single crystal produced by the method according to Claim 15.

- 24. (New) A P-doped silicon single crystal produced by the method according to Claim 16.
- 25. (New) A P-doped silicon single crystal produced by the method according to Claim 17.
- 26. (New) A silicon wafer which is sliced from the P-doped silicon single crystal according to Claim 18.
- 27. (New) A silicon wafer which is sliced from the P-doped silicon single crystal according to Claim 19.
- 28. (New) A silicon wafer which is sliced from the P-doped silicon single crystal according to Claim 20.
- 29. (New) A silicon wafer which is sliced from the P-doped silicon single crystal according to Claim 21.
- 30. (New) A silicon wafer which is sliced from the P-doped silicon single crystal according to Claim 22.
- 31. (New) A silicon wafer which is sliced from the P-doped silicon single crystal according to Claim 23.
- 32. (New) A silicon wafer which is sliced from the P-doped silicon single crystal according to Claim 24.
- 33. (New) A silicon wafer which is sliced from the P-doped silicon single crystal according to Claim 25.

- 34. (New) A P(phosphorus)-doped N-type silicon single crystal wafer wherein at least an Al (aluminum) concentration is 2×10^{12} atoms/cc or more.
- 35. (New) The P-doped N-type silicon single crystal wafer according to Claim 34 wherein a P concentration in the wafer is 1×10^{14} atoms/cc or more.
- 36. (New) The P-doped N-type silicon single crystal wafer according to Claim 34, wherein the wafer is that the whole plane of the wafer is N region and/or I region.
- 37. (New) The P-doped N-type silicon single crystal wafer according to Claim 35, wherein the wafer is that the whole plane of the wafer is N region and/or I region.